




SINUS LIFT CURETTES FLEXIBLE FLEXIBLE SINUS LIFT KÜRETZEN



| 811/SL1F-ED | 811/SL2F-ED | 811/SL3F-ED | 811/SL4F-ED

These new Sinus Lift instrument set for the direct sinus lift increases the sensitivity during operation and reduces the risk of perforating the „Schneider’sche membrane“ – due to the unique swing-effect.

Dieses Sinus Lift Instrumentarium für den direkten Sinus Lift erhöht durch den einmaligen Schwingeffekt – das operative Feingefühl und verringert die Perforationsgefahr der „Schneider’schen Membrane“.



Tray suitable for flexible Sinus Lift and Accessories
Tray passend für flexible Sinus Lift und Zubehör
274 x 80 x 41mm
500/4



ERGODESIGN



840/20	Ø 2,0mm [160mm
840/27	Ø 2,7mm [160mm
840/32	Ø 3,2mm [160mm
840/37	Ø 3,7mm [160mm
840/42	Ø 4,2mm [160mm
840/50	Ø 5,0mm [160mm
840/60	Ø 6,0mm [160mm

CONVEX

841/20	Ø 2,0mm [160mm
841/27	Ø 2,7mm [160mm
841/32	Ø 3,2mm [160mm
841/37	Ø 3,7mm [160mm
841/42	Ø 4,2mm [160mm
841/50	Ø 5,0mm [160mm
841/60	Ø 6,0mm [160mm

CONCAVE

842/20	Ø 2,0mm [160mm
842/27	Ø 2,7mm [160mm
842/32	Ø 3,2mm [160mm
842/37	Ø 3,7mm [160mm
842/42	Ø 4,2mm [160mm
842/50	Ø 5,0mm [160mm
842/60	Ø 6,0mm [160mm



843/20	Ø 2,0mm [175mm
843/27	Ø 2,7mm [175mm
843/32	Ø 3,2mm [175mm
843/37	Ø 3,7mm [175mm
843/42	Ø 4,2mm [175mm
843/50	Ø 5,0mm [175mm
843/60	Ø 6,0mm [175mm

CONVEX

844/20	Ø 2,0mm [175mm
844/27	Ø 2,7mm [175mm
844/32	Ø 3,2mm [175mm
844/37	Ø 3,7mm [175mm
844/42	Ø 4,2mm [175mm
844/50	Ø 5,0mm [175mm
844/60	Ø 6,0mm [175mm

CONCAVE

845/20	Ø 2,0mm [175mm
845/27	Ø 2,7mm [175mm
845/32	Ø 3,2mm [175mm
845/37	Ø 3,7mm [175mm
845/42	Ø 4,2mm [175mm
845/50	Ø 5,0mm [175mm
845/60	Ø 6,0mm [175mm



CONVEX



848/20	Ø 2,0mm [160mm
848/27	Ø 2,7mm [160mm
848/32	Ø 3,2mm [160mm
848/37	Ø 3,7mm [160mm
848/42	Ø 4,2mm [160mm
848/50	Ø 5,0mm [160mm

CONCAVE



849/20	Ø 2,0mm [160mm
849/27	Ø 2,7mm [160mm
849/32	Ø 3,2mm [160mm
849/37	Ø 3,7mm [160mm
849/42	Ø 4,2mm [160mm
849/50	Ø 5,0mm [160mm



CONVEX



851/20	Ø 2,0mm [175mm
851/27	Ø 2,7mm [175mm
851/32	Ø 3,2mm [175mm
851/37	Ø 3,7mm [175mm
851/42	Ø 4,2mm [175mm
851/50	Ø 5,0mm [175mm

CONCAVE



852/20	Ø 2,0mm [175mm
852/27	Ø 2,7mm [175mm
852/32	Ø 3,2mm [175mm
852/37	Ø 3,7mm [175mm
852/42	Ø 4,2mm [175mm
852/50	Ø 5,0mm [175mm

ERGODESIGN